



STATE FIRE PREVENTION AND BUILDING CODE TECHNICAL SUBCOMMITTEE MEETING

PLUMBING MECHANICAL AND FUEL GAS CODE TECHNICAL SUBCOMMITTEE MEETING

Minutes of the August 23, 2012 teleconference meeting of the technical subcommittee reviewing the **2009 & 2012 International Plumbing, Mechanical and Fuel gas Codes** for adoption by New York State.

PRESENT: John Addario
 Peter Campito
 Douglas Page
 Bob Cordell
 Sal Pennelle
 John Williams

Meeting Minutes:

- 1) The meeting was called to order at 1:30 PM with 5 of 7 members present. Members listed were present by teleconference. A quorum was present.
- 2) John Addario reviewed the open items from the last meeting. Open items include: PVC flue, Back Water Valve, Water Hammer Arrestors, Pool Heater Temperature Relief Valve, and Grease Interceptors, no additional information was available as of this date.
- 3) CSST and bonding requirements were discussed; the discussion included the reference to the newer products that include a conductive jacket. It was noted that ICC PMG has a current listing for the product. The committee agreed unanimously to recommend to the Existing Building Code committee to include a clarification that “when CSST is extended or alerted that the standard CSST must be bonded. John Addario agreed to draft proposed language and submit to the committee.
- 4) The committee discussed routine maintenance requirements for mechanical systems per section 203.2 which references ASHRAE 180 – 2008, the committee unanimously agreed to recommend including that requirement in the NYS version of the Code.
- 5) The meeting was adjourned at approximately 2:45pm.

- 6) The next meeting is scheduled for Thursday September 6, 2012 at 1:30PM.